	Approved Fo TO	PSECRET 1/08 : CIA-RDP78T05929A001600040002-8
		20 April 1966 Page 1 Copy 7
	· •	- · · · · · · · · · · · · · · · · · · ·
	x.	MUROM AIRFIELD USSR
1.	SIGNIFICANCE:	FIRST SIGHTING OF PROBABLE "FIDDLER" AT A FACILITY OTHER THAN THE MANUFACTURING PLANT OR A FLIGHT TEST CENTER.
2.	REMARKS:	FIDDLER IS A TWO-PLACE, EXTENDED RANGE INTERCEPTOR HAVING A SECONDARY ROLE OF RECONNAISSANCE. IT IS POWERED BY TWO TYPE 31-F AXIAL FLOW, DUAL ROTOR TURBOJETS DEVELOPING 22,000 LB. SLST WITH AFTERBURNERS. MUROM AIRFIELD IS A SAF TRAINING BASE.
3.	LOCATION:	12 NM SE OF MUROM.
	FTDCM TDENMITETGAMION -	ETDDIED MAG DIDGE GREEN IN MARY STREET
5.	FIRST IDENTIFICATION:	FIDDLER WAS FIRST SEEN IN THE TUSHINO AIR SHOW IN JUL 61.
		· · · · · · · · · · · · · · · · · · ·

GROUP 1 Excluded from automatic dewngrading and

TOP SECRET | R018 | CIA-RDP78T05929A001600040002-8

	Approved For Rele	ease 2006/11 /08 : CIA RDP78T0 SECRET	05929∧001600040002-8 2
			20 April 1966
		•	Page 2
	** ** · ·	MUROM AIRFIELD WAS FIRS	T OBSERVED ON TALENT MISSION
6.	. <u>NEGATION DATE</u> :	NONE.	
7.	SUBSEQUENT COVERAGE:	24 KH-4 MISSIONS	2
8.	DIMENSIONS/ SPECIFICATIONS:	YEAR IN SERVICE	1966
		LENGTH WING SPAN	
		LEADING EDGE SWEEP	57 DEGREES
		MAX WEIGHT	88,700 LB
		TO to CLEAR 50 FT	8,200 FT
		COMBAT RANGE	2,000 NM
		MAX MISSION TIME	4.3 HR
		MAX SPEED	1,210 KT AT 38,000 FT
		CRUISE SPEED/ALTITUDE	512 KT AT 45,000 FT
		COMBAT CEILING	53,000 FT
		ARMAMENT	4 "ASH" SEMI-ACTIVE RADAR HOMING, 6 NM RANGE AAM'S.
9.	MISSION READOUT:	8,200 x 170 ft ne/sw ser	VICEABLE CONCRETE RUNWAY WITH
	A PARALLEL TAXIWAY, 2 EN	ID CONNECTING AND ONE CROSS	OVER LINK, 2 ALERT APRONS
	WITH 17 HANGARETTES, 4 F	ARKING APRONS, ONE HARDSTA	ND, AND A DISPERSAL AREA

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered with only for the reporting period as indicated by the date of issu

Approved For Religie SECRET 8 : CIA-RDP78T05929A001600040002-8

20 APRIL 1966

PAGE 3

CONTAINING 9 HARDSTANDS. 9,100 X 220 FT NW/SW PROBABLY UNSERVICEABLE GRADED EARTH RUNWAY.

SUPPORT FACILITIES INCLUDE ONE SMALL AND ONE LARGE HANGAR AND AT LEAST 40 MAINTENANCE/SUPPORT BUILDINGS. AN ADMINISTRATION/BARRACKS AREA LOCATED 4,000 FT NW OF THE RP (REFERENCE POINT IS CENTER OF CONCRETE RUNWAY) CON-TAINS AT LEAST 50 BUILDINGS. POL STORAGE SITE IS LOCATED 3,000 FT WNW OF THE RP. AN UNSECURED PROBABLE AAM FACILITY LOCATED IN A WOODED AREA APPROX-IMATELY 6,000 FT SSW OF THE RP CONTAINS 2 PROBABLE DRIVE-IN AND AT LEAST 16 OTHER BUILDINGS. AN AW RADAR SITE LOCATED 1.9 NM NE OF THE RP CONTAINS 4 OCCUPIED RADAR MOUNDS, ONE BARRACKS BUILDING, AND SEVERAL SMALL SUPPORT BUILD-INGS. A SECURED COMMO SITE LOCATED 1,000 FT ESE OF THE AW SITE CONTAINS ONE BUILDING AND SEVERAL U/I ANTENNAS. THE FIELD IS ALSO EQUIPPED WITH ILS OFF BOTH ENDS OF THE RUNWAY, AND A GCA SITE ADJACENT TO THE RUNWAY.

2 PROBABLE FIDDLER, ONE CAB, 32 SMALL SWEPT-WING, 19 SMALL DELTA-WING, AND ONE POSSIBLE AIRCRAFT IS BURNING ADJACENT TO THE NW END OF THE PARALLEL TAXIWAY.

A 10 10	COLON FOR	Dalagas	2006/14/100-	CIA DDD70T0	5929A0016000	40000
Appl	oved For	Release		でIA-KDP/0100	297900 10000	40002-0
			CLIPE		,	
			- 2L (1)			

20 April 1966

25X

25)

Page

CSD/Research Branch PREPARED BY:

DISTRIBUTION:

Copy 1 - Director, NPIC
2 - Chief, CSD/REF/BB Unit

3 & 4 - DIA

5 - Chief, IAD 6 - RB/CSD/NPIC

7 - RAS/REF/CSD 8 - TCO/Army, 9 - PAG, (Attn 10 - TCO/Navy,

11 - Files/SBS/RB/CSD

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work.

Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25)





